




Electric Power
Repair Easy



Cordless Power
Repair Easy



SNIT HYDRAULIC CO.,LTD.

Add: Building 3, No.150, Xingye Rd, Kuaian Industry Park, Mawei, Fuzhou, China 350015.

Tel : 0086-591-83748222 Fax: 0086-591-83746222

Website: www.snit-hydraulic.com Mail: mail@snit.net.cn




LITHIUM BATTERY HYDRAULIC JACK

SE30-2EL



Model	Capacity	Battery Capacity	Rated Voltage	Rated Power	Rated Current	Battery Energy	Net Weight	Packing Size	Min Height	Max Height	Lifting Height
SE30-2EL	30t/15t	5000mAh	DC 18V	450W	24A	90Wh	40kgs	590x315x315mm	150mm	418mm	30t: 78mm 15t: 70mm

SE30-2EL




A	B	C	D	E	F	G	H1	H2	α	β
555	272	1304	178	150	78	70	75	45	45°	35°

Features

- Cordless power is more convenient and energy-efficient, no limits on the usage locations.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Illuminating lamp allows users to quickly and accurately find the lifting point when insufficient light.
- This integrated packaging reduces the warehouse management costs.
- Elliptical handle with a build-in connecting rod makes the jack beautiful.
- Industrial seals with better sealing performance
- Hard chrome plated cylinder
- Slow down valve
- Safety overload valve


ELECTRIC SHOP PRESS

SEP-50EM



Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	D	E	F	G1	G2	R	M
SEP-50EM	AC220V	500W	50t	250kgs	930	750	1850	200	650	1245	120	820	200	280

SEP-50EM




Features

- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Winch protection cover and pulley protection cover for hand safety




ELECTRIC SHOP PRESS

SEP-30EM



Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	C1	D	E	F	G1	G2	R	M
SEP-30EM	AC220V	500W	30t	152kgs	850	540	1650	1850	148	540	990	75	990	180	240



Features


- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Legs with bolt holes for fixing to the floor

LITHIUM BATTERY HYDRAULIC JACK

SE40-2EL



Model	Capacity	Battery Capacity	Rated Voltage	Rated Power	Rated Current	Battery Energy	Net Weight	Packing Size	Min Height	Max Height	Lifting Height
SE40-2EL	40t/20t	5000mAh	DC 18V	450W	24A	90Wh	42kgs	590x315x315mm	150mm	418mm	40t: 78mm 20t: 70mm



Features

- Cordless power is more convenient and energy-efficient, no limits on the usage locations.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Illuminating lamp allows users to quickly and accurately find the lifting point when insufficient light.
- This integrated packaging reduces the warehouse management costs.
- Elliptical handle with a build-in connecting rod makes the jack beautiful.
- Industrial seals with better sealing performance
- Hard chrome plated cylinder
- Slow down valve
- Safety overload valve




LITHIUM BATTERY HYDRAULIC JACK

SE30-2L



Model	Capacity	Battery Capacity	Rated Voltage	Rated Power	Rated Current	Battery Energy	Net Weight	Packing Size	Min Height	Max Height	Lifting Height
SE30-2L	30t/15t	5000mAh	DC 18V	400W	20A	90Wh	45kgs	720x320x320mm	150mm	418mm	30t: 78mm 15t: 70mm

SE30-2L




A	B	C	D	E	F	G	H1	H2	α	β
695	272	1300	172	150	78	70	75	45	45°	35°

Features

- Cordless power is more convenient and energy-efficient, no limits on the usage locations.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Illuminating lamp allows users to quickly and accurately find the lifting point when insufficient light.
- This integrated packaging reduces the warehouse management costs.
- Elliptical handle with a build-in connecting rod makes the jack beautiful.
- Industrial seals with better sealing performance
- Hard chrome plated cylinder
- Slow down valve
- Safety overload valve


ELECTRIC SHOP PRESS

SEP-20EM



Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	C1	D	E	F	G1	G2	R	M
SEP-20EM	AC220V	500W	20t	116kgs	850	540	1602	1830	134	540	990	48	910	180	260

SEP-20EM



Features

- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Legs with bolt holes for fixing to the floor



ELECTRIC SHOP PRESS

SEP-20HM



Scale & Sliding Cylinder with Handle



Dustproof Cover




Winch Handle Holder



V-Block & 180° Guiding Design



Pins Set and Holder



Screw Extension



Compact-Designed Electric Control Box



LED Light




Special Design for More Height Position of Working Bench



Foot Pedal Switch

Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	D	E	F	G1	G2	R	R1	R2	M
SEP-20HM	AC220V	500W	20t	151kgs	770	600	1800	152	505	1080	25	850	220	145	75	200

SEP-20HM



Features

- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Robots welding and laser cutting frame
- Winch protection cover and pulley protection cover for hand safety

ELECTRIC SHOP PRESS

SEP-30HM



Scale & Sliding Cylinder with Handle



Dustproof Cover




Winch Handle Holder



V-Block & 180° Guiding Design



Pins Set and Holder




Screw Extension



Compact-Designed Electric Control Box



LED Light




Special Design for More Height Position of Working Bench



Foot Pedal Switch

Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	D	E	F	G1	G2	R	R1	R2	M
SEP-30HM	AC220V	500W	30t	174kgs	770	600	1800	148	505	1080	25	850	220	145	75	200

SEP-30HM



Features

- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Robots welding and laser cutting frame
- Winch protection cover and pulley protection cover for hand safety



ELECTRIC SHOP PRESS

SEP-50HM



Scale & Sliding Cylinder with Handle



Dustproof Cover




Winch Handle Holder



V-Block & 180° Guiding Design



Pins Set and Holder



Screw Extension



Compact-Designed Electric Control Box



LED Light




Special Design for More Height Position of Working Bench



Foot Pedal Switch

Model	Rated Voltage	Rated Power	Capacity	Net Weight	A	B	C	D	E	F	G1	G2	R	R1	R2	M
SEP-50HM	AC220V	500W	50t	255kgs	930	750	1900	200	535	1240	80	780	220	145	75	280



Features

- The power supply is more convenient and energy-efficient.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Compact and good-looking designed electric control box
- Foot pedal leaves hands free, manual function provides more operation choices.
- LED light helps users operate easily in insufficient light conditions
- Industrial seals with better sealing performance
- Safety valve
- Robots welding and laser cutting frame
- Winch protection cover and pulley protection cover for hand safety

LITHIUM BATTERY HYDRAULIC JACK

SE40-2L



Anti-Collision Wheel



Adaptors Holder with Forward Leaning Design




Well-Designed Battery Pack



LED Light

Model	Capacity	Battery Capacity	Rated Voltage	Rated Power	Rated Current	Battery Energy	Net Weight	Packing Size	Min Height	Max Height	Lifting Height
SE40-2L	40t/20t	5000mAh	DC 18V	400W	20A	90Wh	49kgs	720x320x320mm	150mm	399mm	40t: 72mm 20t: 57mm

SE40-2L



A	B	C	D	E	F	G	H1	H2	α	β
710	272	1300	189	150	72	57	75	45	45°	35°

Features

- Cordless power is more convenient and energy-efficient, no limits on the usage locations.
- Two speeds structure makes the piston rod find precise positioning with slow speed and extend faster when fast speed.
- Illuminating lamp allows users to quickly and accurately find the lifting point when insufficient light.
- This integrated packaging reduces the warehouse management costs.
- Elliptical handle with a build-in connecting rod makes the jack beautiful.
- Industrial seals with better sealing performance
- Hard chrome plated cylinder
- Slow down valve
- Safety overload valve